

NOTE:
ALL CARBONATED AND NON-CARBONATED EQUIPMENT SHALL BE PROVIDED WITH A BACKFLOW PREVENTION DEVICE. ALL CARBONATED EQUIPMENT SHALL BE PROVIDED WITH A STAINLESS STEEL BACKFLOW PREVENTION DEVICE PER LOCAL AUTHORITY HAVING JURISDICTION

NOTE:
PLUMBING CONTRACTOR TO PROVIDE BALL TYPE SHUT-OFF VALVES FOR ALL WATER LINES TO EQUIPMENT.

P1 HOT + COLD WATER PIPING SCHEMATIC

N.T.S. –

GreenbergFarrow

COPYRIGHT NOTICE
This drawing is the property of the above referenced Professional and is not to be used for any purpose other than the specific project and site named herein, and cannot be reproduced in any manner without the express written permission from the Professional

ISSUE/REVISION RECORD

DATE	DESCRIPTION
02/28/2014	CLIENT REVIEW SET

PROFESSIONAL SEAL

STATE OF TEXAS
JAMES NICHOLAS LEDYARD
108394
LICENSED PROFESSIONAL ENGINEER
FEB 28 2014

COA# – F-4380

PROFESSIONAL IN CHARGE
JAMES LEDYARD

PROJECT MANAGER
DARCY HASBERRY

QUALITY CONTROL
JAMES LEDYARD

DRAWN BY
DARCY HASBERRY

PROJECT NAME

CIRCLE K STORES, INC.

PFLUGERVILLE
TEXAS

SEC WEST PECAN ST. & SARAH'S CREEK DR. PFLUGERVILLE, TX

CIRCLE K STORES INC.

PROJECT NUMBER
20140041.5

SHEET TITLE
SCHEMATICS

SHEET NUMBER
P3.1

CIRCLE K SOUTHWEST PROTOTYPE 4480 – 02/13/201
Drawing Name: P:\2014\20140041\04 Submittal Construction Documents\Pflugerville, Texas Circle K\Revised\20140041-P3.1.dwg Last Modified: Feb 28, 2014 – 10:48am Plotted on: Feb 28, 2014 – 10:48am by darcy